

Appendix 2 Dehorning Protocol

Owners and producers should work with their veterinarian and/or experienced personnel to determine which methods of dehorning are suitable for their management system. It is advisable to post the written protocol in a centralized area as a guideline for the dehorning of animals on the premises. The plan should be reviewed with new employees.

Dehorning Protocol

Business Name: _____

Veterinarian Name & Phone: _____

Supervising Personnel: _____

Trained Personnel: _____

Date: _____

Drafted By: _____

Age of Cattle	Dehorning Method	Anesthetic	Fly Repellant
Calves			
2 to 10 weeks	_____	_____	_____
Over 10 weeks	_____	_____	_____
Adult	_____	_____	_____

Appendix 2
Extra Teat Removal Protocol

Owners and producers should work with their veterinarian and/or experienced personnel to determine which methods of extra teat removal are suitable for their management system. It is advisable to post the written protocol in a centralized area as a guideline for the extra teat removal of animals on the premises. The plan should be reviewed with new employees.

Extra Teat Removal Protocol

Business Name: _____

Veterinarian Name & Phone: _____

Supervising Personnel: _____

Trained Personnel: _____

Date: _____

Drafted By: _____

Age of Cattle	Extra Teat Removal Method	Anesthetic
----------------------	----------------------------------	-------------------

Calves

Less than 1 week	_____	_____
------------------	-------	-------

Older than 1 week	_____	_____
-------------------	-------	-------

Appendix 2 Castration Protocol

Owners and producers should work with their veterinarian and/or experienced personnel to determine which methods of castration are suitable for their management system. It is advisable to post the written protocol in a centralized area as a guideline for the castration of animals on the premises. The plan should be reviewed with new employees.

Castration Protocol

Business Name: _____

Veterinarian Name & Phone: _____

Supervising Personnel: _____

Trained Personnel: _____

Date: _____

Drafted By: _____

Age of Cattle	Castration Method	Anesthetic
Calves		
Less 4 weeks of age	_____	_____
Older than 4 weeks	_____	_____
Adult Bull	_____	_____
